

Partnerships for development of next-generation software for distributed access and analysis of simulated, observed, and reanalysis data from the climate and weather communities.

# Joint DOE, NASA, NOAA, IS-ENES, and ANU/NCI Earth System Grid Federation (ESGF) Face-to-Face Conference Abstracts

### Day 1: Tuesday, 8 December 2015 Science Drivers Project Requirements and Feedback

Title and Presenter	Abstract
WGCM Infrastructure Panel Karl Taylor (DOE/LLNL, taylor13@llnl.gov) V. Balaji (NOAA/GFDL, balaji@princeton.edu)	The Working Group on Coupled Modeling (WGCM) Infrastructure Panel (WIP) was formed in response to the WGCM's (2013) expressed need to provide scientific guidance and requirements for the global data infrastructure underpinning global climate science and modeling. This infrastructure includes ESGF software, and other tools such as: ES-DOC, CoG, CMOR, CF Conventions, and others. Chaired by V. Balaji (Princeton/GFDL) and K. Taylor (DOE/LLNL/PCMDI), it outlined in 2014 a strategy to develop a series of "position papers" on global data infrastructure and its interaction with the scientific design of experiments; and to present them to the WGCM annual meeting for endorsement by the WGCM, the CMIP Panel, and the modeling groups. A series of position papers were unveiled at the WGCM-19 meeting (2015) in Dubrovnik. The 11 position papers currently in draft, and others in progress, will be available on the WIP website,
DOE Accelerated Climate Modeling for Energy	https://goo.gl/eJxDvL. Sponsored by the U.S. Department of Energy's (DOE's) Office of Biological and Environmental Research (BER), the Accelerated Climate Modeling for Energy Project is an ongoing, state-of-the-science Earth system modeling, simulation, and prediction project that optimizes the use of DOE laboratory resources to meet the
David Bader (DOE/LLNL, bader2@llnl.gov) Dean N. Williams (DOE/LLNL, Williams13@llnl.gov) Valentine Anantharaj (DOE/ORNL,	science needs of the nation and the mission needs of DOE—"A DOE Model on DOE Machines for the DOE Mission". ACME's initial scientific goals address three areas of importance to both climate research and society: 1) the water cycle: How do the hydrological cycle and water resources interact with the climate system on local to global scales?; 2) biogeochemistry: How do biogeochemical cycles interact with global climate change?; and 3) cryosphere-ocean system: How do rapid changes in cryosphere-ocean systems interact with the climate system? The high-resolution version of the ACME model simulates the fully coupled climate system at high-resolution (15–25 km), and further development is needed to optimize performance on current and future DOE Leadership Class computers. New scalable and extensible solutions for data archival, search, retrieval, and analysis are needed for the size and complexity of the ACME output.
anantharajvg@ornl.gov)	
Obs4MIPs Peter Gleckler (DOE/LLNL, gleckler1@llnl.gov)	Obs4MIPS is an activity to make observational products more accessible for climate model intercomparisons. It is limited to a collection of well-established and documented data sets that have been organized according to the <u>5th Coupled Model Intercomparison Project</u> (CMIP5) model output requirements and made available on <u>ESGF</u> via the CoG. Efforts are underway to further align obs4MIPs with the needs of CMIP6. In brief, satellite products currently available via Obs4MIPs are: 1) directly comparable to a model output field defined as part of CMIP5; 2) open to contributions from all data producers that meet the <u>Obs4MIPs</u> requirements; 3) well documented, with traceability to track product version changes; and 4) served through ESGF (and directly available through this COG). The technical alignment of observational products with model output greatly facilitates model data comparisons.
	Obs4MIPs was initiated with support from NASA and the DOE and is now a WCRP activity that is overseen by the WCRP Data Advisory Council (WDAC). Additional satellite products are expected from NASA,

	NOAA, ESA, EUMETSAT, and community efforts such as <u>CFMIP-OBS</u> . A WDAC Task Team strives to help advance obs4MIPs, and there is a great deal of community interest in having the project expanded beyond satellite data. This presentation will describe opportunities and challenges for obs4MIPs, with particular emphasis on the technical needs required to advance the project.
IS-ENES Sébastien (ENES/IPSL, sebastien.denvil@ipsl.jussieu.fr)	European climate modelling groups joined together in 2001 to create the European Network for Earth System Modelling (ENES) with the objectives of helping the development and evaluation of climate models of the Earth system, encouraging the exchange of software and model results, and promoting the development of high-performance computing facilities. The EU funded project IS-ENES, Infrastructure for ENES (first phase 2009–2013, second phase 2013–2017), aims to promote the development of a common distributed climate models and better fulfill the societal needs with regards to climate change issue (http://is.enes.org). IS-ENES supports the integration of the European climate modeling community and recently issued the " <i>Infrastructure strategy for the European Earth System modeling Community: 2012–2022</i> ". It promotes the dissemination of European climate model results from the international WCRP CMIP5 and CORDEX experiments developed in preparation of the IPCC 5 <sup>th</sup> Assessment Report by supporting ESGF developments and operations. IS-ENES also aims at enhancing model development and software sharing and supports the preparation of high-end simulations and the use of high-performance computing.
CREATE-IP Jerry Potter (NASA/GSFC, jpotter@ucdavis.edu)	The Climate Model Data Services (CDS) at NASA's GSFC is collaborating with the world's major reanalysis projects to collect reanalysis data and present it through the Distribution, Visualization, Analytics, and Knowledge Services, resulting in the Collaborative REAnalysis Technical Environment Intercomparison Project (CREATE-IP). CDS has converted monthly mean data from the five major reanalysis projects, including MERRA-2, to the standard Earth System Grid Federation (ESGF) format of one variable per file and published the data in ESGF. The agreement or disagreement among reanalyses enables us to judge the scientific validity of using reanalysis data to evaluate climate models. The differences in the reanalyses may have a variety of causes, including but not limited to differences in the input observations, changes in observation instrumentation, or differences in the model physical parameterizations. The data is prepared to the CMIP5 and obs4MIPs specifications using CMOR and is distributed through the ESGF COG interface. So far, we have prepared monthly averages of the primary variables produced by the CMIP5 simulations and six-hour frequency of an initial selected set of variables. Additional six-hour variables preparation is in process. These initial variables were selected because they are useful in evaluating weather events in the past for intercomparison among the different reanalyses.
	Each reanalysis center produces a different data structure and organization, posing difficulties in preparing the reanalyses for inclusion into ESGF. As a result, each data set requires custom processing. Reanalyses are produced at high horizontal and vertical resolution, and the six-hour data conversion processing has proven to be particularly challenging, requiring several days of dedicated uninterrupted computing to complete one variable. To assist with testing of the processed data, UV-CDAT has proven to be particularly useful for data quality control because of its inherent ease of use and flexibility.
	In addition to distributing reanalysis data through ESGF, we have implemented a visualization tool, CREATE-V, based on code from the National Center for Atmospheric Research's Climate Inspector. This tool utilizes TDS and OpenLayers to support access by interdisciplinary and reanalysis scientists for the exploration and side-by-side comparison of variables by reanalysis, date, and level.

## Day 1: Tuesday, 8 December 2015 Required Data Center and Interoperable Services

Title and Presenter	Abstract
ANU/NCI	NCI currently supports 10+ years of research data collections of Earth systems models and observational products on a high performance data (HPD) node with a co-located high-performance computing (HPC) facility
Ben Evan (ANU/NCI, Ben.Evans@anu.edu.au)	and cloud environment. This integrated large-scale computing infrastructure offers opportunities for enabling scientific users to analyze petabytes of data. NCI's data collections are managed and made available through its National Environmental Research Data Interoperability Platform (NERDIP), which allows access by NCI's Raijin supercomputer, NCI's HPC cloud environment that supports data analysis through a Virtual Desktop Interface (VDI) with a large catalogue of analysis tools (e.g., UV-CDAT), virtual laboratories such as the Climate and Weather Science laboratory (CWSlab), and for high-speed data transfer such as that used for ICNWG. Provenance of the data is maintained through data product information using the Provenance Management System (PROMS) using the W3C Prov standard. NCI has also been analyzing its data collections in earth system model, observation, and point-cloud data to provide high-performance data access that addresses the future of HPC computing models and simulations, data analysis tools and engines, and data

	services. The data formats have been considered in the broader context of data interoperability between science domains. In doing so, we have compared the performance of various I/O approaches (POSIX, MPI-IO, netCDF3, netCDF4, GeoTiff, HDF5), the interfaces for accessing data (native libraries, GDAL, Python, OPeNDAP, OGC), and techniques for data subsetting, aggregation, and coordinate transformation.
DDC/DKRZ Stephan Kindermann (ENES/DKRZ, kindermann@dkrz.de)	The DKRZ supports the complete data life cycle of climate data products—model data generation, postprocessing, data ingest, quality assurance, ESGF publication, long-term archival and assignment of PIDs, DOIs, as well as early citation information. To support end users, DKRZ acts also as a replication and long-term archival center of external ESGF data products, hosting the world data center for climate (WDCC) and acting as an IPCC data distribution center. Recently the end user requirements were strengthened to provide a platform to analyze the huge ESGF data volume hosted at DKRZ. As the (after shutdown) DKRZ ESGF services will be hosted by the same computing platform as the HPC part, such a data near processing service can be efficiently developed (ESGF-related data products are hosted as part of the overall ~50 PByte Lustre file system). In parallel to this, the DKRZ established a data cloud service to support end users in hosting project data collections and to support DKRZ data import and export. A virtual machine environment allows for the flexible deployment of project-specific data services. Also, first investigations to provide dockerbased compute services in the future were performed.
DOE LLNL/PCMDI Dean N. Williams (DOE/LLNL, williams13@llnl.gov)	LLNL researchers benefit from an institutional IT infrastructure that provides desktop support and experts in server technologies. The latter includes virtualization expertise that has been applied to provide multiple operating systems on shared resources and to create a wide variety of virtual machines to leverage resources across LLNL. An enterprise team also provides networking service to implement the Science demilitarized zone (DMZ) and Data Transfer Nodes (DTNs). Connections into LLNL include ESnet, the dynamic Science Data Network, the ALICE grid system, the Open Science Grid, and a wide variety of programmatic networks. Cisco telepresence nodes are also available to facilitate remote collaboration over these networks.
	In addition to local group resources, LLNL computational scientists deliver a balanced high-performance computing (HPC) environment with constantly evolving hardware resources and a wealth of HPC expertise in porting, running, and tuning real-world, large-scale applications, and data management systems, such as ESGF. Currently, LLNL delivers multiple petaflops of compute power, massive shared parallel file systems, powerful data analysis/cluster platforms, and archival storage capable of storing many petabytes of data. This balanced hardware environment supports key collaborations between LLNL application developers and community experts on the creation, debugging, production use, and performance monitoring of large-scale parallel applications, as well as data analysis in a wide variety of scientific climate applications, such as CMIP and ACME.
	All members of the LLNL Climate projects (i.e., PCMDI, ACME) have desktop workstations available to them. In addition, the LLNL Climate Science Program maintains 12 shared computer servers and two internal file servers with over 250 TBytes of aggregate storage to support its internal research activities. Data management software (i.e., ESGF) and analysis software (i.e., UV-CDAT) are maintained on these shared systems. The file servers enable seamless integration among the workstation, computer server, and data resources using NFS remote mounting capabilities.
	The Green Data Oasis (GDO) and Climate Central Systems host data (e.g., hosting the CMIP3 and CMIP5 archives) served to the external community. Additional archival capacity is required for CMIP6.
IS-ENES/IPSL Sébastien Denvil (ENES/IPSL,	The Institut Pierre Simon Laplace (IPSL) climate modeling group gathers together climate modeling teams from the CNRS (Centre Nationale de la Recherche Scientifique), the CEA (Commissariat à l'Énergie Atomique et aux Énergies Alternatives), and from university research disciplines such as meteorology, oceanography, and bio-geochemistry.
sebastien.denvil@ipsl.jussieu.fr)	The group's objective is the study of natural and anthropogenic variability in the global climate system. IPSL is also studying climate change impacts and usage of climate projections for adaptation to climate change related to industry. IPSL is one of the climate modeling centers of international repute contributing to the IPCC (Intergovernmental Panel on Climate Change).
	The IPSL draws upon a team of 50 engineers and informatics experts. Their collaborations within France and internationally, the diversity of the technologies they exploit, the size and variety of the projects that they handle, are a reflection of the IPSL's desire to be at the cutting edge of climate modeling.
	During this talk, we will present our strategies and propositions on required data center and interoperable services.
IS-ENES/CEDA	CEDA, the Centre for Environmental Data Analysis, hosts data centers managing climate and earth observation data on behalf for the UK environmental science community to facilitate access and support its work in collaborations with international partners.
Phil Kershaw (ENES/CEDA, philip.kershaw@stfc.ac.uk)	CEDA is underpinned by JASMIN, a petascale storage and cloud computing facility. This, besides hosting the CEDA data archive, provides communities of users with a collaborative environment for analysis of data including group workspaces and hosted processing capability. There are a number of challenges moving forward, driven in part by the success of JASMIN to date and by the increasing data volumes for both model data and observations. Technically, these can be summarized in terms of the ability to scale computing resources and the effective integration of new and existing technologies to provide services needed by the user

community.
Currently the archive holds around 3 PB maintained on spinning disk with a full tape backup. This includes more than 250 data sets and in excess of 200 million files. Two key programs in particular, CMIP6 and the data stream from the new generation of ESA earth observation satellites (the Sentinels), present challenges both in terms of the data volumes (~10 PB reserved for CEDA CMIP6 archive) and velocity (expected 10 TB/day rate for Sentinel data sets). Data from these sources will exceed the disk capacity available to the archive in the near future and will necessitate the development of an integrated solution for disk and near tape storage.
Work is underway to pilot new technologies associated with the cloud service including the use of containers, orchestration tools and object stores. These will enable the scale of resources to meet demand and provides to federate with other cloud providers, be they public or from the research community.
For ESGF, there is a need for a robust and stable core service, for the projects we host through the infrastructure. These include SPECS, CCMI, CLIPC, and ESA CCI. For CCI, the ESA Climate Change Initiative, CEDA has started a project for ESA over the past year to build an Open Data Portal to serve data products from the program. This is re-using and building upon technology from ESGF, including the Index and Data nodes, and will include innovations including support for ISO19115 search services and the use of Semantic Web technology to develop a machine readable DRS vocabulary and govern its use with client applications.

### Day 2: Wednesday, 9 December 2015 Advanced Computational Environments and Data Analytics

Title and Presenter	Abstract
Compute Working Team Overview Daniel Duffy (NASA/GSFC, daniel.q.duffy@nasa.gov) Charles Doutriaux (DOE/LLNL, doutriaux1@llnl.gov)	A major paradigm shift is occurring as users move from downloading data to perform data analytics to moving analysis routines to the data and performing these computations on distributed platforms. In preparation for this shift, the ESGF Compute Working Team (CWT) is engaged in developing the capability to enable data-proximal analytics throughout ESGF. To guide the discussion, the team created several potential analytical use cases for the data stored in ESGF, using anomalies as the prototypical example of the type of analytics that scientists would want to perform. Next, the team focused on tailoring the interface to the analytic capabilities and reviewed several different potential programming interfaces, before deciding on the Web Processing Service (WPS) as the standard for defining the analytical services, inputs, and outputs. In addition to being rather simple to deploy, the geospatial community makes heavy use of WPS-enabled services. A specification document has been written along with an initial implementation using the pyWPS. This presentation will provide an update on the work performed over the last year and provide updates about the CWT's plans for the upcoming year.
WPS Overview and Demo Charles Doutriaux (DOE/LLNL, doutriaux 1@llnl.gov) Daniel Duffy (NASA/GSFC, daniel.q.duffy@nasa.gov)	As the size of remote sensing observations and model output data grows, the volume of the data has become overwhelming, even to many scientific experts. As societies are forced to better understand, mitigate, and adapt to climate changes, the combination of Earth observation data and global climate model projects is crucial to not only scientists but to policy makers, downstream applications, and even the public. Scientific progress on understanding climate is critically dependent on the availability of a reliable infrastructure that promotes data access, management, and provenance. The Earth System Grid Federation (ESGF) has created such an environment for the Intergovernmental Panel on Climate Change (IPCC). ESGF provides a federated global cyber infrastructure for data access and management of model outputs generated for the IPCC Assessment Reports (AR).
	The current generation of the ESGF federated grid allows consumers of the data to find and download data with limited capabilities for server-side processing. Since the amount of data for future AR is expected to grow dramatically, ESGF is working on integrating server-side analytics throughout the federation. The ESGF Compute Working Team (CWT) has created a Web Processing Service (WPS) Application Programming Interface (API) to enable access scalable computational resources. The API is the exposure point to high-performance computing resources across the federation. Specifically, the API allows users to execute simple operations, such as maximum, minimum, average, and anomalies, on ESGF data without having to download the data. These operations are executed at the ESGF data node site with access to large amounts of parallel computing capabilities. This presentation will highlight the WPS API and its capabilities, provide implementation details and a demo, and discuss future developments.
The Climate Data Analytic Services (CDAS) Framework	Faced with unprecedented growth in the Big Data domain of climate science, NASA has developed the Climate Data Analytic Services (CDAS) framework. This framework enables scientists to execute trusted and tested analysis operations in a high-performance environment close to the massive data stores at NASA. The

Thomas Maxwell (NASA/GSFC, thomas.maxwell@nasa.gov) Mark McInerney (NASA/GSFC, mark.mcinerney@nasa.gov) Daniel Duffy (NASA/GSFC, daniel.q.duffy@nasa.gov) Jerry Potter (NASA/GSFC, jpotter@ucdavis.edu) Charles Doutriaux (DOE/LLNL, doutriaux1@llnl.gov)	data is accessed in standard (NetCDF, HDF, etc.) formats in a POSIX file system and processed using trusted climate data analysis tools (ESMF, CDAT, NCO, etc.). The framework is structured as a set of interacting modules, allowing maximal flexibility in deployment choices. CDAS services are accessed via a WPS API being developed in collaboration with the ESGF Compute Working Team to support server-side analytics for ESGF. The API can be executed using either direct web service calls, a python script or application, or a javascript-based web application. Client packages in python or javascript contain everything needed to make CDAS requests. The CDAS architecture brings together the tools, data storage, and high-performance computing required for timely analysis of large-scale data sets where the data resides, to ultimately produce societal benefits. It is currently deployed at NASA in support of the Collaborative REAnalysis Technical Environment (CREATE) project, which centralizes numerous global reanalysis data sets onto a single advanced data analytics platform. This service permits decision makers to investigate climate changes around the globe, inspect model trends, and compare multiple reanalysis data sets.
Ophedia Sandro Fiore (ENES/CMCC, sandro.fiore@unisalento.it)	The Ophidia project is a research effort on big data analytics facing scientific data analysis challenges in multiple domains (e.g. climate change). Ophidia provides declarative, server-side, and parallel data analysis, jointly with an internal storage model able to efficiently deal with multidimensional data and a hierarchical data organization to manage large data volumes (" <i>data cubes</i> "). The project relies on a strong background in high-performance database management and OLAP systems to manage large scientific data sets. The Ophidia analytics platform provides several <i>data operators</i> to manipulate <i>data cubes</i> , and <i>array-based primitives</i> to perform data analysis on large scientific data arrays (e.g. statistical analysis, FFT, DWT, subsetting, compression). Metadata management support (CRUD-like operators) is also provided. The server front-end exposes several interfaces to address interoperability requirements: WS-I <sup>-</sup> , GSI/VOMS, and OGC-WPS (through PyWPS). From a programmatic point of view a Python module (PyOphidia) makes straightforward the integration of Ophidia into Python-based environments and applications (e.g. IPython). The system offers a Command Line Interface (e.g. bash-like) for end-users, with a complete set of commands, as well as integrated help and manuals. A key point of the talk will be the workflow capabilities offered by Ophidia. In this regard, the framework stack includes an internal workflow management system, which coordinates, orchestrates, and optimizes the execution of multiple scientific data analytics and visualization tasks (e.g. statistical analysis, metadata management, virtual file system tasks, maps generation, import/export of data sets in NetCDF format). Specific macros are also available to implement loops, or to parallelize them in case of data independence. Real-time workflow monitoring execution is also supported through a graphical user interface.
WPS Service and Back-end - Application of ESGF and WPS Services in climate4impact Maarten Plieger (ENES/KNMI, maarten.plieger@knmi.nl)	<ul> <li>analysis, climate change signal analysis, anomalies analysis) in the H2020 INDIGO-DataCloud.</li> <li>The aim of climate4impact is to enhance the use of Climate Research Data and to enhance the interaction with climate effect/impact communities. The portal is based on impact use cases from different European countries, and is evaluated by a user panel consisting of use-case owners. This work has resulted in the ENES portal interface for climate impact communities and can be visited at http://climate4impact.eu/.</li> <li>This presentation discusses how climate4impact utilizes Web Processing Services (WPS) to perform analysis on climate data stored in ESGF. The WPS calculates climate indices and subsets data using OpenClimateGlS/icclim on data stored in ESGF data nodes. Data is then transmitted from ESGF nodes over secured OpenDAP and becomes available in a new per-user secured OpenDAP server. The results can then be visualized using ADAGUC WMS. Dedicated wizards for processing of climate indices will be developed in close collaboration with users. The portal is able to generate graphical user interfaces on WPS endpoints. The portal aims to use the WPS being developed by the ESGF compute working team (ESGF-CWT).</li> <li>In this presentation, the architecture and following items will be detailed:</li> <li>Processing: Transform data, subset, export into other formats, and perform climate indices calculations using Web Processing Services implemented by PyWPS, based on NCAR NCPP OpenClimateGIS and IS-ENES2 icclim.</li> <li>Visualization: Visualize data from ESGF data nodes using ADAGUC Web Map Services.</li> <li>Security: Login using OpenID for access to the ESGF data nodes. The ESGF works in conjunction with several external websites and systems. The climate4impact portal uses X509-based short-lived credentials, generated on behalf of the user with a MyProxy service. Single Sign-on (SSO) is used to make these</li> </ul>

# Day 2: Wednesday, 9 December 2015

#### ESGF Development for Data Centers and Interoperable Services

Title and Presenter	Abstract
CoG User Interface Working Team Sylvia Murphy (NOAA/ERSL, sylvia.murphy@noaa.gov)	Throughout 2015, the ESGF User Interface Working Team (UIWT) has worked on upgrading and expanding the Earth System CoG Collaboration Environment to replace the old ESGF web front-end. Major new features include: 1) integration of CoG into the ESGF software stack; 2) federation of distributed CoGs; 3) support for downloading data via Globus; and 4) general improvements to the site, infrastructure upgrades, and security fixes. CoG is now ready to be deployed as the ESGF front-end at each node. For the next six months, the priority of the ESGF UIWT will be supporting ESGF administrators and end-users, while at the same time collecting and prioritizing requirements for additional needed functionality.
Dashboard Working Team Sandro Fiore (ENES/CMCC, sandro,fiore@unisalento.it) Paola Nassisi (ENES/CMCC, paola.nassisi@cmcc.it) Giovanni Aloisio (ENES/CMCC, giovanni.aloisio@unisalento.it)	Monitoring the Earth System Grid Federation is a challenging topic. From an infrastructural standpoint the dashboard and desktop components provide the proper environment for capturing usage metrics, as well as system status information at local (node) and global (institution and/or federation) level. The Dashboard and the Desktop are strongly coupled and integrated into the ESGF stack and represent the back- and front-end of the ESGF monitoring system. The Dashboard acts as information provider, collecting and storing a high volume of heterogeneous metrics, covering machine performance, network topology, host/service mapping, and registered users as well as download statistics. The Desktop is a web-based environment and provides an effective, transparent, robust, and easy access to all the metrics and statistics provided by the Dashboard. It is written in Java and JavaScript programming languages and presents enhanced views with several gadgets (enriched with charts, tables and maps) for a simple and user-friendly visualization of aggregated and geo-localized information. All the metrics collected by the ESGF monitoring infrastructure are stored in a system catalog that has been extended to support multiple information about the data usage statistics. More specifically, in addition to information like the number of downloads, downloaded data sets, users that have downloaded some data, the amount of data downloaded etc., new metrics are being provided. Some examples are statistics about data downloads grouped by model, variable, or experiment; by country or over time; top ten list of the most
Data Transfer Working Team Luckasz Lacinski (DOE/ANL,	downloads glouped est; or clients' distribution maps. To this end, specific data marts have been created to allow a fast access to this information. Finally, to grant a programmatic access to the metrics managed by the Dashboard, a set of RESTful APIs has been defined (based on a JSON data interchange format) allowing the user to design and implement his/her own client applications. The past year, the focus has been on updating to the latest software and using the new user interface. The key work completed includes: 1) supporting Globus download option with the latest ESGF user interface COG; 2) updating components on the data node to a recent and supported version of servers; and 3) simplifying the installation process and script. The new release includes all of these, and this talk will present details on this work done and impact for ESGF users and administrators.
lukasz@uchicago.edu) Identity Entitlement Access Team Philip Kershaw (ENES/BADC, philip.kershaw@stfc.ac.uk) Rachana Ananthakrishnan (DOE/ANL, ranantha@uchicago.edu)	The remit of the IdEA team is to maintain and develop ESGF's system for access control to resources hosted within the federation. Over the past few years, the scope of this work has grown from the original requirement for securing of access to CMIP5 data to that for other projects in the federation. In addition, with the development of compute capability for ESGF, securing of access to computing resources is an increasingly important aspect for consideration in the evolution of the system. Activities over the last year have been dominated by the security incident with the federation. Nevertheless, some promising work has been undertaken piloting new capability for user delegation using the OAuth 2.0 protocol. User delegation is an important capability to support remote computation of secured resources. Initial integration work has been undertaken between CEDA's OAuth 2.0 service and IS-ENES partners KNMI and DKRZ. This will soon be extended to work with Globus transfer. These activities are providing confirmation of the potential for OAuth to simplify access and to provide a common baseline to a number of different access control use cases. We outline the roadmap and resources needed to take this work into a production service for the federation.
	Besides the technical development of the system, there are considerations with respect to policy and operation of Identity Providers in the federation. We will set out recommendations for the future to simplify access for users, enhance security, and reduce the operational burden.
Installation Working Team Prashanth Dwarakanath	ESGF installation working team was created in March 2014. Its main responsibilities are ESGF releases management, installation tool maintenance, as well as node administrators' support. 2015 saw many key deliverables being met, including provision of an automated installation mechanism for ESGF and switching to Apache web server as the front end, providing support for non-java server-side components.

Nicolas Currentos (ENES/IPSL, necarentos (Ejing) [Insteine);       In dwa successfully hundled; it, however, meant additional "coordination" with development and exit develop- test deploy evelow. We will present here the work does since the last IPE, highlight fatures of the major releases to date, and discuss upcoming work on the installer.         International Climate Network Working Group       The International Climate Network Working Group (ICWWG) as a working group of the ISGE focused on end-to-end data transfer performance. Our initial efforts have been focused on enabling the replication of Ing- reale data sets between the major climate data centres a NUN, BANC, DKRZ, and LIAL. This tall will describe the ICNWG work in 2015 and progress made to date. Next steps for the working group will also be discussed.         Metadata and search Working Team       Tor the ESGF Metadata and Search Working Team (ISGF-MSWT), the year 2015 was largely dominated why the general ISGF accurity incident, which groupmed the whole federation to be brought offline. The ISGF- MSWT rook advantage of this unfortune entiation to create a much-needed upgrade. As a consequence, the upcoming FSGF 20 software stack will utilize Soft 5, deployed as a stand-alone engine enhedded with active, which induces many important teave fatures, and and-alone engine enhedded with active, which enduces many important teave fatures, and and advane and will be to support the upcoming (ICWF) as a stand will be explored through the standard in the structure, which are on the structure and active and related observational data. Major areas of development will include metadata validation, approxim publicing that a not a new 'Teack's data structure, and have a structure infrastructure, which working ream of the development to visit an a set-federation enabled with general active and teack' and federation structure and active and related observat	(ENES/Liu, pchengi@nsc.liu.se)	
Working Group       end-o-end data transfer performance. Our initial effors have been focused of enabling the replication of Inge- sele data site between the major climate data centers at ANU. BADC, DKR2, and LLNL. This lak will describe the ICNWG work in 2015 and progress made to data. Next steps for the working group will also be discussed         Mary Hester (DOE/ESnet, mechanization)       For the ESGF Metadata and Search Working Team (ESGF-MSWT), the year 2015 was largely dominated by the general ISGT searchy incident, which prompted the whole federation to be brought offline. The ESGF-MSWT, Luca Cinquini (ASAUPL, Luca Cinqu	Nicolas Carenton (ENES/IPSL,	test-deploy cycles. We will present here the work done since the last F2F, highlight features of the major
EI: Darr (DOE/ESnet, mchester/des.net)         Mary Hester (DOE/ESnet, mchester/des.net)         Metadata and search Working Team         Search Manager Working Team         Search Ames (DOE/L1NL, amesr@DIE/L2NL amesration toffeream amesration to the team to amesration to the team		end-to-end data transfer performance. Our initial efforts have been focused on enabling the replication of large- scale data sets between the major climate data centers at ANU, BADC, DKRZ, and LLNL. This talk will describe the ICNWG work in 2015 and progress made to date. Next steps for the working group will also be
inchester@es.net           Metadata and search Working Team         For the ESGF Metadata and Search Working Team         For the ESGF Metadata and Search Working Team (ESGF-MSWT), the year 2015 was largely dominated by the general ESGF search which wild have been much more difficult as a backward-compuble tograde. As a consequence, the upcoming ESGF 20 software stack will utilize Sof 5, deplyed as a stand-alone engine embedded within Jetty, which includes many important new features, such as atomic updates. The general master/slawer/epilca architecture has not changed, but the Soft slawer shade will be esposed through the standard HTTP por 80 to avoid peekly frewall issues. Additional, support for publishing data to a new "local shad" has been introduced 1 From the User Interface perspective, many improvements have been added to the search pages, the administrator configuration utilities, and the data archive and related observational data. Major areas of development will neckode wetadata validation, partition of the global search space into virtual organizations, scalability, and performance.           Node Manager Working Team (ENESDFLine, chengi@usc.Lin.ze)         ESGF nodes of all flavors require a Node Manager component to coordinate automated configuration and federation-wide monitoring activities. To improve scalability over the prior P2P-based node manager, we are implementing a two-iter system that combines appects of P2P to coordinate automated configuration and federation-wide monitoring activities. To improve scalability over the prior P2P-based node manager, we are implementing a two-iter system that combines appects of P2P to coordinate automated configuration (ENESDKLine, chengi@usc.Lin.ze)           Presistent Identifier For CMIP6 data managed in ESGF a several levels of granularity. PIDs will be assigned to all CMIP6 files as well a several higher levels of aggregati		discussed.
Team       by the general ESGF security incident, which prompted the whole federation to be brought offine. The ESGF-security executes infrastructure, which would have been much more difficult upgrade of the SGF security incident, which prompted the whole federation to be brought offine. The ESGF-security incident, which would have been much more difficult upgrade as stand-ableme engine embedded within letty, which includes many improvements have been added to the secureh pages, the administrator configuration utilities, and the data cart. In the exty cart, the SGF-MSWT main freus will be to support the upcoming CSMF 20 of distributed data cart when and related the secureh pages, the administrator configuration utilities, and the data cart. In the next year, the ESGF-MSWT main freus will include metadata validation, partition of the global search space into virtual organizations, scalability, and performance.         Node Manager Working Team       ESGF indees of all flavors require a Node Manager component to coordinate automated configuration and federation-wide monitoring activities. To improve scalability over the iror P2P-based node manager, we are implementing a two-tir system that combines aspects of UP2 to coordinat the "super-node", with client-server to handle the secondary tier of member nodes. We are transitioning use a Python-based implementation that can run under Apache. Lovelopment of this component is approx.higr eadinations to test in a test-federation derivonment as we shore up more of the functionality. Additionally, this talk will incorporate plans for a "Tracking and Feedback" effort for ESGF.         Presistent Identifier Services       Persistent Identifier (PID) services for ESGF are evenemed with the automated assignment and curation of persistent identifier areas are generated by CMOR and registered as part of the overall publishing vorthformaton. An ecomplay application based		
Sasha Ames (DOE/LLNL, ames4@lInl.gov)Federation-wide monitoring activities. To improve Scalability over the prior P2P-based node manager, we are implementing a two-tier system that combines aspects of P2P to coordinate the "super-nodes" with client-server to handle the secondary tier of member nodes. We are transitioning to use a Python-based implementation that can nu under Apache. Development of this component is approaching readiness to test in a test-federation environment as we shore up more of the functionality. Additionally, this talk will incorporate plans for a "Tracking and Feedback" effort for ESGF.Sandro Fiore (ENES/CMCC, sandro fore@unisalento.it)Persistent Identifier (PID) services for ESGF are concerned with the automated assignment and curation of persistent identifiers for CMIP6 data managed in ESGF at several levels of granularity. PIDs will be assigned to all CMIP6 files as well as several higher levels of agregation, covering data sets, simulations, and models. Identifier names are generated by CMOR and registered as part of the overall publishing workflow. An exemplary application based on the PID service is a smart user workspace tool that can pull additional information on given files from the federation, determine whether a new data set version is available, and ultimately provide access to it.Tobias Weigel (DKPZ, DKRZ, kindermann (ENES/DKRZ, kindermann@dkrz.de)The presentation will give an overview on the service design as described in the corresponding WIP paper and provide an update on the current development of provenance solutions in support of reproducibility and throughupt provide access to it.Bibi Raju (DOE/PNNL bibi.raju@pnnl.gov)Provenance team aims to focus on the development of provenance format that can capture sufficient information to enable scientists to reproduce their previous calculatio	Team Luca Cinquini (NASA/JPL,	by the general ESGF security incident, which prompted the whole federation to be brought offline. The ESGF- MSWT took advantage of this unfortunate situation to execute a much-needed upgrade of the ESGF search services infrastructure, which would have been much more difficult as a backward-compatible upgrade. As a consequence, the upcoming ESGF 2.0 software stack will utilize Solr 5, deployed as a stand-alone engine embedded within Jetty, which includes many important new features, such as atomic updates. The general master/slave/replica architecture has not changed, but the Solr slave shard will be exposed through the standard HTTP port 80 to avoid pesky firewall issues. Additional, support for publishing data to a new "local shard" has been introduced. From the User Interface perspective, many improvements have been added to the search pages, the administrator configuration utilities, and the data cart. In the next year, the ESGF-MSWT main focus will be to support the upcoming CMIP6 distributed data archive and related observational data. Major areas of development will include metadata validation, partition of the global search space into virtual organizations,
<ul> <li>Tobias Weigel (ENES/DKRZ, weigel@dkrz.de)</li> <li>Stephan Kindermann (ENES/DKRZ, kindermann@dkrz.de)</li> <li>Stephan Kindermann (ENES/DKRZ, kindermann@dkrz.de)</li> <li>Katharina Berger (berger@dkrz.de)</li> <li>Provenance Working Team</li> <li>Bibi Raju (DOE/PNNL bibi.raju@pnnl.gov)</li> <li>Provenance Working Team</li> <li>Bibi Raju (DOE/PNNL bibi.raju@pnnl.gov)</li> </ul>	Sasha Ames (DOE/LLNL, ames4@llnl.gov) Prashanth Dwarakanath (ENES/Liu, pchengi@nsc.liu.se) Sandro Fiore (ENES/CMCC,	federation-wide monitoring activities. To improve scalability over the prior P2P-based node manager, we are implementing a two-tier system that combines aspects of P2P to coordinate the "super-nodes" with client-server to handle the secondary tier of member nodes. We are transitioning to use a Python-based implementation that can run under Apache. Development of this component is approaching readiness to test in a test-federation environment as we shore up more of the functionality. Additionally, this talk will incorporate plans for a
<i>Bibi Raju (DOE/PNNL bibi.raju@pnnl.gov)</i> performance investigations to accomplish the Accelerated Climate Modeling for Energy (ACME) computational goals. This includes development of a provenance format that can capture sufficient information to enable scientists to reproduce their previous calculations correctly as well as capture and link to performance information for specific workflows and model runs to enable in-depth performance analysis. The first step is to investigate methods for the capture, representation and storage, evaluation, access, and use of provenance information. Over the last year, we have been developing a comprehensive workflow performance data model called Open Provenance Model-based Workflow Performance Provenance (OPM-WFPP). It enables the structured analysis of workflow performance characteristics and variability. It also links provenance information and performance metrics ontology.	Tobias Weigel (ENES/DKRZ, weigel@dkrz.de) Stephan Kindermann (ENES/DKRZ, kindermann@dkrz.de) Katharina Berger	persistent identifiers for CMIP6 data managed in ESGF at several levels of granularity. PIDs will be assigned to all CMIP6 files as well as several higher levels of aggregation, covering data sets, simulations, and models. Identifier names are generated by CMOR and registered as part of the overall publishing workflow. An exemplary application based on the PID service is a smart user workspace tool that can pull additional information on given files from the federation, determine whether a new data set version is available, and ultimately provide access to it. The presentation will give an overview on the service design as described in the corresponding WIP paper and provide an update on the current development status. The service architecture is based on a distributed message queue to achieve high availability and throughput. The PID services interact with other ESGF
workflow through all relevant system levels in one integrated environment. A providence production and collection framework is in place called Provenance Environment (ProvEn). It provides components supporting	Bibi Raju (DOE/PNNL	performance investigations to accomplish the Accelerated Climate Modeling for Energy (ACME) computational goals. This includes development of a provenance format that can capture sufficient information to enable scientists to reproduce their previous calculations correctly as well as capture and link to performance information for specific workflows and model runs to enable in-depth performance analysis. The first step is to investigate methods for the capture, representation and storage, evaluation, access, and use of provenance information. Over the last year, we have been developing a comprehensive workflow performance data model called Open Provenance Model-based Workflow Performance Provenance (OPM-WFPP). It enables the structured analysis of workflow performance characteristics and variability. It also links provenance information and performance metrics ontology. The provenance capture ontology and system enables the capture of provenance from the high-level workflow through all relevant system levels in one integrated environment. A provenance production and

	Web technologies and ontologies, including the Open Provenance Model Workflow Performance Provenance (OPM-WFPP) ontology, are used by ProvEn for the representation, storage, and reporting of provenance. We are currently in the process of developing a provenance capture mechanism that can handle the high-velocity provenance information.
Publication Working Team Sasha Ames (DOE/LLNL, ames4@llnl.gov) Rachana Ananthakrishnan (DOE/ANL, ranantha@uchicago.edu)	The Publication Working team has concerns within the esg-publisher software, the development of a publications service, and the management of overarching workflows for publication, which include all steps required in preparation for ESGF publication. Accomplishments within the 2015 ESGF year included an initial release of a GUI-based publication service running for ACME. ESGF 2.0 contains a handful of changes to the publisher software including support of upgraded components, improved versioning support, and optional facets support for published data sets. Future work will have a strong focus on workflow and software requirements for CMIP6, and in addition the release of a publication service API that incorporates Globus Transfer of data.
Quality Control Working Team Martina Stockhause (ENES/DKRZ, stockhause@dkrz.de)	The ESGF-QCWT aims to improve the quality of ESGF user services by integration of additional external documentations. The team coordinates the implementation of the errata service (IPSL) and the data citation service (DKRZ). We will present the team's progress over the last 12 months and give a roadmap for the next year with special emphasis on requirements, collaboration, and risk aspects.
Guillaume Levavasseur (ENES/IPSL, glipsl@ipsl.jussieu.fr) Katharina Berger (ENES/DKRZ,	
berger@dkrz.de) Replication and Versioning Working Team Stephan Kindermann (ENES/DKRZ, kindermann@dkrz.de) Tobias Weigel (ENES/DKRZ,	Ensuring ESGF CMIP6 data consistency across sites strongly depends on stable and agreed versioning and replication procedures. On one hand this requires common software components (versioning support as part of publication procedure and replication software like Synda), yet on the other hand operational agreements and the adherence to "versioning, replication and publication best practices" is necessary. The presentation will describe the currents status of the software as well as agreements aspects. As part of this, a short summary of the "replication and versioning" WIP paper is given. A roadmap for 2016 will be discussed, highlighting open issues to be resolved. The collaboration aspects with the ICNWG team and the publication team are summarized as well as future versioning and replication support aspects of the proposed persistent identifier ESGF.
weigel@dkrz.de) Software Security Working Team Prashanth Dwarakanath (ENES/LIU, pchengi@nsc.liu.se)	The security incident that was discovered in June 2015 revealed not only security vulnerabilities in the ESGF software stack, but also exposed critical lapses in communication between node administrators and developers, and a need for a group to monitor the ongoing status of ESGF from a software security perspective. This led to the formation of the Software Security Working Team. A half-day exercise was also carried out during the ESGF code sprint held in Linköping, Sweden, in September 2015, to discuss security-related issues and come up with a best-practices guide for ESGF node administrators, and also to make recommendations for stipulating mandatory conditions related to security and node operations, for sites to follow.
Support Working Team Matthew Harris (DOE/LLNL, harris112@llnl.gov)	Last years' part one presentation covered all the misdoings of the technical features of the support working team. This year, with joy, we will cover the new, replaced, and even removed tools for giving our users a better experience. Topics will cover from FAQ, wikis, sites, and again, mail archiving. There have been mass improvements to the support process, though there is continued room for improvement, with everyone's help.
User Working Team Torsten Rathmann (ENES/DKRZ, rathmann@dkrz.de)	Beside operational support, the team has been working on the statistics of user questions via esgf- user@lists.llnl.gov and the former Askbot. From December 2013 to September 2015, we received 1133 requests (spam not included, ~3 Askbot questions lost). From the statistics, a list of issues shall be distilled, concerning topics such as registration+login, search, Globus Connect, and malfunctioning servers.

## Day 3: Thursday, 10 December 2015 Coordinated Efforts with Community Software Projects

Title and Presenter	Abstract
THREDDS Data Server (TDS)	The THREDDS Data Server (TDS) has had significant development since first ESGF adoption. The latest version (5.0) can now scale to the tens of thousands of catalogs and millions of data sets used by ESGF nodes. This talk will cover these improvements and others of interest to the ESGF community.
John Caron (Independent, jcaron1129@gmail.com)	
Science DMZ for ESGF Super Nodes	The Science DMZ is a network design pattern, which enables data-intensive science by optimizing the network architecture, system design, performance characteristics, security model, and security polices of a specific network enclave for large-scale data transfers. The Science DMZ is now considered best practice for the design, deployment, and operation of cyber-infrastructure for data-intensive science. This talk will describe the Science DMZ model and its application to large (Super Node) ESGF deployments. In addition, the talk will
Eli Dart (DOE/ESnet, dart@es.net)	discuss next-generation portal architectures, and their potential applications in the ESGF.
Named Data Networking (NDN) Christos Papadopoulos (Colorado State, christos@colostate.edu)	The current Internet names the hosts, leaving it to the application to locate the host with the desired data. However, with the emergence of technologies such as Content Delivery Networks (CDN) and the cloud, and trends such as mobility and Internet of Things (IoT), the need to associate data with an Internet Protocol (IP) address has become a hindrance. This misalignment requires enormous corrective effort at the expense of application complexity and robust security.
Suile, christos@colosiale.euuj	In this talk will present NDN and some illustrative applications of Named Data Networking (NDN) in the Climate and High Energy Physics (HEP) communities.
Designing Climate Model Output Rewriter version 3 (CMOR3) for Coupled Model Intercomparison Project, Phase 6 (CMIP6) Denis Nadeau (DOE/LLNL,	A lot of lessons have been learned during the Coupled Model Intercomparison Project Phase 5, and a more flexible version of CMOR has become necessary to handle state-of-the-art Model Intercomparison Projects (MIPs). Flexibility, adaptability, scalability, and robustness are necessary to keep pace with the rapid changes in climate science model development. CMOR is currently being enhanced to line up with continuously growing CMIP6 requirements. Delineating new input tables structure, which empower each model to maintain value delivery into CMIP6, is doing adapting to those requirements. As well, customized global attributes are being designed to accommodate growth in capability needed by new MIPs. Finally, possibility of parallelization of CMOR is also being regarded as improvement since model outputs continuously grow in
nadeau1@llnl.gov)	spatial and temporal resolution.
Synda Sébastien Denvil (ENES/IPSL, sebastien.denvil@ipsl.jussieu.fr)	<ul> <li>Synda is a command-line alternative to the ESGF web front-end. Current main features are listed below.</li> <li>Simple data installation using an apt-get like command</li> <li>Support every ESGF project (CMIP5, CORDEX, SPECS, etc.)</li> <li>Parallel downloads, incremental process (download only what is new)</li> <li>Transfer priority, download management and scheduling, history stored in a database</li> <li>GridFTP enabled</li> <li>Hook available for automatic publication upon data sets download completion</li> <li>Install using a docker container and or RPM</li> </ul>
	Synda can download files from the ESGF archive in an easy way, based on a list of facets (variables, experiments, ensemble members, etc.). The program evolves together with the ESGF archive back-end functionalities.
	This talk will walk through Synda main features from a replication and replica publication perspectives. Also, ESGF currently only supports an "offline, on-demand" replication procedure, where dedicated replication sites pull replica sets from ESGF sites, reorganize them to fit into their internal ESGF data organization structure, and publish them as "replicas" into the ESGF data federation. No automatic replica synchronization or notification mechanisms are supported. In general, original data can be unpublished or modified without effects on replica sites.
	We will discuss the current work plan and will expose existing possibilities towards an automatic replication workflow.
Globus and ESGF Rachana Ananthakrishnan (DOE/ANL, ranantha@uchicago.edu)	Globus provides a hosted research data management service, and is widely used for moving and sharing research data on a variety of HPC and campus computing resources. With the recent release of data publication and discovery capabilities, Globus now provides useful tools for managing data across the research lifecycle. This talk will present an overview of Globus capabilities including recently released features, and provide a quick look at some of features that will be released soon. The presentation will discuss how ESGF uses Globus today and opportunities for future work for further ESGF leveraging of Globus.
On-demand Streaming of Massive Climate Simulation Ensembles	The increasing size of climate data sets is a burden that impedes analysis and visualization tasks due to limited storage space, computing power, and network bandwidth available to clients. Our work addresses this issue by providing a framework for interactive visualization and user-directed analysis of massive remote climate simulation ensembles.

Cameron Christensen (University of Utah, cam@sci.utah.edu)	This framework enables visualization parameters, ensemble members, and analysis scripts to all be modified on the fly. It can be used to experiment with various combinations of analyses for later use in a comprehensive global computation, or directly for out-of-core visualization and analysis tasks at any resolution. The framework supports server-side data blending and regridding to minimize client-side storage, computation, and network bandwidth requirements. Scripting integration is provided by python or java wrappers of the entire framework, and a javascript-based syntax is utilized for an in-application dynamic scripting.
	The framework is built on the IDX multiresolution data format, so we also provide server side on-demand data reordering for requested fields of an ensemble in order to seamlessly utilize our analysis and visualization tools. This data is cached for later access by other users. On-demand data reordering enables streaming multiresolution access and processing of remote data sets that can be too large to download directly. Even devices that could not store a single time step of data could be utilized for visualization and analysis of climate data ensembles.
	This system has been deployed at LLNL and is currently being integrated with the ESGF front end. The client application is currently available for download from the University of Utah. No modifications to existing data format or infrastructure need to be made in order for this technology to be utilized by end users.
	We will present our streaming analysis and visualization framework and demonstrate on-demand data conversion using both disparately located and massive data sets.

# Day 3: Thursday, 10 December 2015

### **Poster Session**

Title and Presenter	Abstract
Climate4Impact Portal Maarten Plieger (ENES/KNMI, <u>maarten.plieger@knmi.nl</u> )	The aim of climate4impact (C4I) is to enhance the use of Climate Research Data and to enhance the interaction with climate effect/impact communities. The portal is based on impact use cases from different European countries and is evaluated by a user panel consisting of use case owners. It has been developed within the European projects IS-ENES and IS-ENES2 for more than six years, and its development currently continues within IS-ENES2. As the climate impact community is very broad, the focus is currently mainly on the scientific impact community. This work has resulted in the ENES portal interface for climate impact communities and can be visited at http://climate4impact.eu/.
	C4I is connected to the Earth System Grid Federation (ESGF). A challenge was to describe the available model data and how it can be used. The portal warns users about possible pitfalls when using climate models. All impact use cases are described in the documentation section, using highlighted keywords pointing to detailed information in the glossary. The main goal for C4I can be summarized by two objectives: The first, to work on a web interface that generates a graphical user interface on WPS endpoints. These endpoints calculate climate indices and subset data using OpenClimateGIS/icclim on data stored in ESGF data nodes. Data is transmitted from ESGF nodes over secured OpenDAP and becomes available in a new per-user secured OpenDAP server. The results are visualized using ADAGUC. Dedicated wizards for processing of climate indices are developed in close collaboration with users. The second, to expose C4I services to offer standardized services, which can be used by other portals, like the EU FP7 CLIPC portal. This has the advantage of adding interoperability between several portals, as well as enabling the design of specific portals aimed at different impact communities, either thematic or national.
	In this presentation the architecture and following items will be detailed: Visualization (WMS), Processing (WPS), Security (OpenID, X509, OAuth2), Discovery, and Download.
ACME Dashboard Matthew Harris (DOE/LLNL, harris112@llnl.gov)	Supporting the ACME community in model development, testing, and usage requires the utilization of many complex and ever-changing components from model modules and script versions to computer systems and diagnostics. In particular, in collaborative development efforts, it is often difficult to keep track of the latest version of specific model and scripts, which set-up parameters are used by collaborators, or which runs still need to be completed. The ACME Dashboard is an integrated development environment that aims to support the required "book keeping" and coordination effort by integrating secure resources access (storage, computing), component registers (data, models, diagnostics, workflows, etc.), provenance (usage information), and work execution (e.g., run workflow, use diagnostics) in one graphical environment.
HPSS Connection to ESGF Sam Fries (DOE/LLNL, fries2@llnl.gov)	Accessing data stored on tape archives is difficult, time consuming, and prone to error. The ACME project plans to create 100s of TB–PBs of data, not all of which is feasible to store on disk-based archives. To address this, we are bridging HPSS and ESGF, allowing data sets stored on tape to be accessed through the same methods with which climate scientists are already familiar. LBNL's Berkeley Archival Storage Encapsulation (BASE) library provides a simple API for retrieving metadata as well as actual data from HPSS and other storage systems. We are creating a Python Web application that uses BASE to access and retrieve data and allow that data to be published to ESGF. Our initial platform will test HPSS at NERSC with ESGF nodes at

Alex Sim (DOE/ LBNL, asim@lbl.gov)	LLNL, with plans to deploy at other ACME sites such as OLCF and ALCF.
Distributed Resource for the ESGF Advanced Management (DREAM)	We envision that the Distributed Resource for the ESGF Advanced Management (DREAM) project will accelerate discovery by enabling climate researchers, among other types of researchers, to manage, analyze, and visualize data from earth-scale measurements and simulations. DREAM's success will be built on proven components that leverage existing services and resources. A key building block for DREAM will be the ESGF. Expanding on the existing ESGF, the project will ensure that the access, storage, movement, and analysis of the large quantities of data that are processed and produced by diverse science projects can be dynamically
Dean N. Williams (DOE/LLNL,	distributed with proper resource management.
williams13@llnl.gov) Luca Cinquini (NASA/JPL, Luca.Cinquini@jpl.nasa.gov)	<ul> <li>Much of the DOE Office of Science data is currently generated by multiple stand-alone facilities. DREAM can collect data accumulated from these facilities and incorporate it into a fully integrated network accessible from anywhere in the world. The result is a paradigm shift for data management, analysis, and visualization, enabling researchers to: <ol> <li>Manage their calculations, data, tools, and research results;</li> <li>Ensure that all data are sharable, reproducible, and (re)usable—accompanied by appropriate metadata describing its provenance, syntax, and semantics at creation;</li> </ol> </li> </ul>
	<ol> <li>Advance application performance by selectively adapting APIs and services in response to scientific requirements and architectural complexities; and</li> <li>Provide scalable interactive resource management—navigate data and metadata at multiple levels, provide architecture-aware data integration, analysis and visualization tools.</li> </ol>
	We will engage closely with DOE, NASA, and NOAA science groups working at leading-edge compute facilities. These engagements—in domains such as biology, climate, and hydrology—will allow us to advance disciplinary science goals and inform our development of technologies that can accelerate discovery across DOE and other U.S. agencies more broadly.
Observation Data Publication into the ESGF	The Earth System Grid Federation software infrastructure was created to house climate change model output and to provide tools to access and analyze model output. As Earth system models (ESMs) become more sophisticated, we will need new ways to validate and test models and facilitate collaborations between field scientists, data providers, modelers, and computer scientists. To facilitate ESM validation and testing, CDIAC
Misha B. Krassovski (DOE/ORNL, krassovskimb@ornl.gov)	published part of the AmeriFlux data collection to the ESGF system. Although it does not make sense to publish CDIAC's entire data collection to ESGF (more than 1,500 exist), 11 highly relevant and popular data sets were selected and will be published to ESGF by December 2015. These data sets have different origins and data formats (e.g., gridded, point source, vertical profiles) and thus require considerable effort to publish and
Tom Boden (DOE/ORNL, bodenta@ornl.gov)	create appropriate metadata in order to make them harvestable and visible by the ESGF software stack.
Dali Wang (DOE/ORNL, wangd@ornl.gov)	
Climate Data Management System, version 3 (CDMS3)	The Climate Data Management System is an object-oriented data management system, specialized for organizing multidimensional, gridded data used in climate analyses for data observation and simulation. The basic unit of computation in CDMS3 is the variable, which consists of a multidimensional array that represents climate information in four dimensions corresponding to: time, pressure level, latitude, and longitude. As
Denis Nadeau (DOE/LLNL, nadeau1@llnl.gov)	models become more precise in their computations, the volume of data generated becomes bigger and more difficult to handle due to the limit of computational resources. Models today can produce data at time frequencies of one hourly, three hourly, or six hourly with a spatial footprint close to satellite data. The amount
Dean N. Williams (DOE/LLNL, Williams13@llnl.gov)	of time for scientists to analyze the data and retrieve useful information is more and more unmanageable. Parallelizing libraries such as CMDS3 would ease the burden of working with such big data sets. Multiple approaches of parallelizing are possible. The most obvious one is embarrassingly parallel or
Charles Doutriaux (DOE/LLNL, doutriaux l@llnl.gov)	pleasingly parallel programming where each computer node processes one file at a time. A more challenging approach is to send a piece of the data to each node for computation and have each node save results in a file as a slab of data. This is possible with Hierarchical Data Format 5 (HDF5) using the Message Passing Interface
Jeff Painter (DOE/LLNL, painter1@llnl.gov)	(MPI). A final approach would be the use of Open Multi-Processing API (OpenMP), where a master thread is split in multiple threads for different sections of the main code. Each method has advantages and disadvantages. This poster brings to light the benefit for each of these methods and seeks to find an optimal solution to compute climate data analyses in an efficient fashion using one or a mixture of these parallelized methods.
Ultrascale Visualization Climate Data Analysis Tools (UV-CDAT) <i>Aashish Chaudhary (Kitware,</i>	Data Analysis Toolkit (UV-CDAT) is a collaborative effort lead by Lawrence Livermore National Laboratory (LLNL). The goal of the project is to provide sophisticated data analysis and visualization capabilities at the fingertip of climate scientists. In last one year, we have made tremendous improvements to UV-CDAT by revamping our plotting capabilities using VTK and MatplotLib, performance improvements and bug fixes for read and write operations, and improved documentation for the toolkit. For the next year, we are aiming for Sphinx based documentation, support for system packages, new visualizations, and revamped
aashish.chaudhary@kitware.com)	CDMS for faster performance with parallel capabilities.
CDATWeb	CDATWEB is a Client/Server Model for UV-CDAT. With the ever-growing size of data, downloading and attempting to create visualizations on the user's hardware is becoming more and more cumbersome. The

	CDATWEB visualization server enables users to view and analyze simulation output in place rather than locally, which eliminates the need to transfer large data sets over the internet.
Matthew Harris (DOE/LLNL,	
harris112@llnl.gov)	
Jonathan Beezley (Kitware, jonathan.beezley@kitware.com)	
PROV	Capturing provenance information within a computational environment poses new challenges for information infrastructure. NCI has deployed the PROMS system to capture workflows for computation, processing, analysis, and publication.
Ben Evans (NCI/ANU, Ben.Evans@anu.edu.au)	
ES-DOC	During the course of 2015' the Earth System Documentation (ES-DOC) project began its preparations for CMIP6 (Coupled Model Inter-comparison Project 6) by further extending the ES-DOC tooling eco-system in support of Earth System Model (ESM) documentation creation, search, viewing, and comparison.
Mark Greenslade (ENES/IPSL, momipsl@ipsl.jussieu.fr)	The ES-DOC online questionnaire, the ES-DOC desktop notebook, and the ES-DOC python toolkit will serve as multiple complementary pathways to generating CMIP6 documentation. It is envisaged that institutes will leverage these tools at different points of the CMIP6 life-cycle. Institutes will be particularly interested to
Sylvia Murphy (NOAA/ERSL, sylvia.murphy@noaa.gov)	know that the documentation burden will be either streamlined or completely automated.
Allyn Treshansky (NOAA/ERSL, allyn.treshansky@noaa.gov)	As all the tools are tightly integrated with the ES-DOC web service, institutes can be confident that the latency between documentation creation and publishing will be reduced to a minimum. Published documents will be viewable with the online ES-DOC viewer (accessible via citable URLs).
Cecilia DeLuca (NOAA/ERSL, cecelia.deluca@noaa.gov)	Model intercomparison scenarios will be supported using the ES-DOC online comparator tool. The comparator is being extended to: • Support comparison of both model descriptions and simulation runs;
Eric Guilyardi (ENES/IPSL, Eric.Guilyardi@locean- ipsl.upmc.fr)	<ul> <li>Greatly streamline the effort involved in compiling official tables.</li> <li>The entire ES-DOC eco-system is open source and built on open standards such as the Metafor Common Information Model (Versions 1 and 2).</li> </ul>
Sébastien Denvil (ENES/IPSL, sebastien.denvil@ipsl.jussieu.fr)	
Bryan Lawrence (ENES/STFC, bryan.lawrence@ncas.ac.uk)	
Agreement on Data Management and Publication Workflow <i>Guillaume Levavasseur</i>	The ESGF publication workflow depends strongly on the data management of each data node. Consequently, the high flexibility of the publication command-line allows partner institutes to build their own publication workflows according to their local data policies. Unfortunately, without common use of the publication tools the ESGF archive became difficult to use and manage, especially for projects containing thousands of data sets (e.g., CMIP5).
(ENES/IPSL, glipsl@ipsl.jussieu.fr)	To ensure a high data quality for CMIP6, the IS-ENES Data Task Force is investigating around the ESGF publication workflow, taking into account as many use cases of existing data management from ESGF partners as possible.
Ag Stephens (ENES/BADC, ag.stephens@stfc.ac.uk)	<ul> <li>We defined and agreed on several points:</li> <li>The role and tasks at each data node have to be clearly defined and declared. Who provides, manages, and/or publishes the data?</li> <li>A modular design could be useful to manage the metadata redundancy between the Postgres database, the THREDDS catalogs, and the Solr index.</li> <li>A review of publication tools is required in order to avoid incorrect use of the publisher and to follow CMIP6 versioning requirements.</li> <li>We need a publication test suite.</li> <li>We aim to promote best practice in publishing our CMIP6 data, using enforcement that will be implemented</li> </ul>
	in the publisher code, improving the end-user experience through new ESGF services (e.g., PID, errata, etc.).
Data Citation Service	The review of the CMIP6 data citation procedure resulted in the requirement of a citation possibility prior to the long-term archival of the data at the IPCC DDC (Data Distribution Centre) hosted at DKRZ.
Martina Stockhause (ENES/DKRZ, stockhause@dkrz.de)	A concept for a new citation module was developed and described in the WIP paper "CMIP6 Data Citation and Long-Term Archival" [1]. It consists of a repository, a GUI for data ingest, and an API for data access [2]. This new component has to be integrated in the overall CMIP6 infrastructure. Several connections exist to the long-term archival, the ESGF development (esp. CoG portal, data versioning, and data replication), and the other components providing additional information on the data (e.g., CIM documents) quality information and
Katharina Berger (ENES/DKRZ,	other annotations.

berger@dkrz.de)	The poster gives a short summary of the citation concept for CMIP6 and the relations between the concept for data citation and data long-term archival to other CMIP6 infrastructure components. The focus is the implementation of the citation concept and the technical integration of the citation module into the ESGF infrastructure, which is a part of the ESGF-QCWT efforts [3].
	References:
	[1] M. Stockhause, F. Toussaint, M. Lautenschlager (2015): CMIP6 Data Citation and LTA. Submitted as WIP
	white paper. http://www.earthsystemcog.org/projects/wip/resources
	[2] Data Citation Service: http://cmip6cite.wdc-climate.de
	[3] ESGF Quality Control Working Team (ESGF-QCWT).
	https://acme-climate.atlassian.net/wiki/display/ESGF/ESGF-QCWT+Charge
PCMDI's Metrics Package Paul Durack (DOE/LLNL, durack1@llnl.gov) Peter Gleckler (DOE/LLNL,	Climate model intercomparison projects (MIPs) provide an effective framework for organizing numerical experimentation and enabling researchers to analyze model behavior and performance. To further our understanding of climate variability and change the World Climate Research Programme's (WCRP) Coupled Model Intercomparison Project (CMIP; Taylor <i>et al.</i> , 2012; Meehl <i>et al.</i> , 2014; Eyring <i>et al.</i> , 2016) coordinates a host of scientifically focused MIPs that address specific processes or phenomena (e.g. clouds, paleoclimates, climate sensitivity, and climate responses to natural and anthropogenic forcing). By adopting a common set of conventions and procedures, CMIP provides opportunities for a broad research community to readily examine model results and compare these to observations.
gleckler1@llnl.gov)	Leveraging upon the successes of the MIPs, we introduce a new MIP evaluation package—the CMIP PMP (PCMDI Metrics Package; Gleckler <i>et al.</i> , 2015). The PMP leverages the vast CMIP data archive and uses common statistical error measures to compare model-simulated climate to observations. The current release includes well-established large- to global-scale mean climatological performance metrics and consists of four components: 1) analysis software; 2) an observationally based collection of observations; 3) a database of performance metrics computed from all the models contributing to CMIP; and 4) usage documentation.
	<ul> <li>The PMP (Doutriaux <i>et al.</i>, 2015) is Python-based and utilizes a "lean" version of UV-CDAT (Williams <i>et al.</i>, 2015), a powerful analysis package that enables cutting edge analysis, diagnostic and visualization capabilities. It is designed to enable users unfamiliar with Python and UV-CDAT to test their own models or observational estimates by leveraging off the considerable CMIP infrastructure.</li> <li>Doutriaux <i>et al.</i>, (2015) PCMDI Metrics Initial Release. doi: 10.5281/zenodo.13952</li> <li>Eyring <i>et al.</i>, (2016) Overview of the Coupled Model Intercomparison Project Phase 6 (CMIP6) Experimental Design and Organisation. doi: 10.5194/gmd-x-xxxx-xxxx</li> <li>Gleckler <i>et al.</i>, (2015) Making objective comparisons between climate models and observations more accessible. doi: 10.1002/2015EOxxxxxx</li> <li>Meehl <i>et al.</i>, (2014) Climate Model Intercomparison: Preparing for the Next Phase. doi: 10.1002/2014EO090001</li> <li>Taylor <i>et al.</i>, (2012) An Overview of CMIP5 and the Experiment Design. doi: 10.1175/BAMS-D-11-</li> </ul>
	<u>00094.1</u>
UV-CDAT Metrics (UVCMetrics) Jeff Painter (DOE/LLNL, painter1@llnl.gov)	Williams <i>et al.</i> , (2015) UV-CDAT v2.4.0. doi: 10.5281/zenodo.1xxxx     UVCMetrics is a new framework for climate scientists to analyze, verify, and compare output from multiple     model runs (or observation sets). UVCMetrics implements the functionality of most of the NCAR NCL-based     land and atmosphere diagnostics in a more flexible, extensible Python-based framework which utilizes CDAT     and VCS to plot (or summarize in tabular form) typical diagnostic plots. UVCMetrics has full command line     support and individual diagnostics can be run from within UVCDAT. Data produced by the package is in     standard format (e.g. netCDF, XML, and PNG files) and can be further analyzed or manipulated by scientists in     UVCDAT or other tools.
Brian Smith (DOE/ORNL, smithbe@ornl.gov)	The framework supports recreation of the NCAR plots in their entirety or by an individual plot set. Additional variables, regions, seasons, or variable options can be added easily to expand the diagnostics available. Entirely new plot sets can be added as well, and the framework also supports "loose coupling" where existing scripts written in NCO, R, etc. can be integrated.
	Current efforts are focusing on multiple levels of parallelization—both computation of individual diagnostics and running multiple separate diagnostic computations in parallel.
ESMValTool Stephan Kindermann (ENES/DKRZ, kindermann@dkrz.de)	The Earth System Model Evaluation Tool (ESMValTool) effort provides a community diagnostic and performance metrics tool for routine evaluation of Earth System Models (especially in CMIP6). The priority of the effort so far has been to target specific scientific themes focusing on selected Essential Climate Variables and a range of known systematic biases common to ESMs. To support CMIP6, it is necessary to deploy ESMValTool based processing services "near to" ESGF nodes, providing fast access to large amounts of model data (local as well as replicated).
	An approach for the ESGF integration has been developed and is currently in a testing phase. This poster will provide an overview of the ESMValTool as well as the ESGF integration solution, which was

	implemented. The implementation exploits local ESGF caches as well as a Synda tool based replication from remote sites. Also first experiments were done do integrate the ESMValTool in a WPS (Web Processing Service) framework.
ESGF-QCWT: CMIP6 Errata as a New ESGF Service	Because of the experimental protocol inherent complexity of project like CMIP5 or CMIP6 it becomes important to record and to track reasons for data set version changes. During CMIP5, it was impossible for scientists making use of data sets hosted by ESGF to know easily whether they were using a data set having a known problem and whether this known problem were corrected by a newer version. Also very difficult was to have access to a description of this issue.
Guillaume Levavasseur (ENES/IPSL, glipsl@ipsl.jussieu.fr) Sébastien Denvil (ENES/IPSL, sebastien.denvil@ipsl.jussieu.fr)	<ul> <li>Movement towards a better errata system is motivated by key requirements:</li> <li>Provide timely information about newly discovered issues. Because errors cannot entirely be eliminated, we should implement a centralized public interface to data providers, so that they can directly describe problems when they are discovered.</li> <li>Provide known issues information prior to download. The user has to be informed of known issues before downloading through the ESGF search interface.</li> <li>Enable users to interrogate a database to determine whether modifications and/or corrections have been applied to data they have downloaded. This service could rely on unique file identifiers so end users can discover whether files of interest to them 1) have been affected by known issues; 2) have been withdrawn; and/or 3) have been modified or corrected.</li> <li>Develop as part of the errata system a capability to notify end users of updates to files of interest to them. The Quality Control Working Team aims to define and to establish a stable and coordinated procedure to collect and give access to errata information related to data sets hosted by ESGF.</li> </ul>
Enabling in-situ analytics in the Community Earth System Model via a Functional Partitioning Framework	Efficient resource utilization is critical for improved end-to-end computing and workflow of scientific applications. Heterogeneous node architectures, such as the GPU-enabled Titan supercomputer at the Oak Ridge Leadership Computing Facility (OLCF), present us with further challenges. In many HPC applications on Titan, the accelerators are the primary compute engines while the CPUs orchestrate the offloading of work onto the accelerators, and moving the output back to the main memory. On the other hand, applications that do not exploit GPUs, the CPU usage is dominant while the GPUs idle.
Valentine Anantharaj (DOE/ORNL, anantharajvg@ornl.gov)	We utilized Heterogeneous Functional Partitioning (HFP) runtime framework that can optimize usage of resources on a compute node to expedite an application's end-to-end workflow. This approach is different from existing techniques for in-situ analyses in that it provides a framework for on-the-fly analysis on-node by dynamically exploiting under-utilized resources therein.
	We have implemented in the Community Earth System Model (CESM) a new concurrent diagnostic processing capability enabled by the HFP framework. Various single variate statistics, such as means and distributions, are computed in situ by launching HFP tasks on the GPU via the node local HFP daemon. Since our current configuration of CESM does not use GPU resources heavily, we can move these tasks to GPU using the HFP framework. Each rank running the atmospheric model in CESM pushes the variables of interest via HFP function calls to the HFP daemon. This node local daemon is responsible for receiving the data from main program and launching the designated analytics tasks on the GPU.
	We have implemented these analytics tasks in C and used OpenACC directives to enable GPU acceleration. This methodology is also advantageous while executing GPU-enabled configurations of CESM when the CPUs will be idle during portions of the runtime. In our implementation results, we demonstrate that it is more efficient to use HFP framework to offload the tasks to GPUs instead of doing it in the main application. We observe increased resource utilization and overall productivity in this approach by using HFP framework for end-to-end workflow.
The OPTIRAD Project: cloud- hosting the IPython Notebook to provide a collaborative data analysis environment for the earth sciences community	We report on experiences deploying the IPython Notebook on the JASMIN science cloud for the OPTIRAD project and its evolution towards a generic collaborative tool for data analysis in the earth sciences community. The system has been developed in the context of OPTIRAD (OPTImisation environment for joint retrieval of multi-sensor RADiances), a project funded by the European Space Agency focused on data assimilation of earth observation products for land surface applications. This domain presents a number of challenges which have provided drivers for the solution developed: the use of computationally expensive processing algorithms, access to large volume earth observation data sets and the need for shared working within its user community.
Phil Kershaw (ENES/CEDA, philip.kershaw@stfc.ac.uk) Bryan Lawrence (ENES/STFC, bryan.lawrence@ncas.ac.uk	The IPython Notebook has been gaining traction in recent years as a teaching tool for scientific computing and data analysis. It provides an interactive Python shell hosted in an intuitive, user-friendly web-based interface together with functionality to save and share sessions. The IPython development community is very active and recent work has led to the creation of a new package JupyterHub. The name Jupyter reflects the fact that the notebook can now support other languages in addition to Python such as the statistical package R. JupyterHub builds on the baseline functionality of the notebook but incorporates the ability to support multiple user sessions fronted with the required authentication and access control. These developments are significant since they provide the key capabilities needed to enable notebooks to be hosted via a cloud service. Use of cloud technology makes a powerful combination, enabling the Notebook to take advantage of cloud computing's key attributes of scalability, elasticity, and resource pooling. In this way, it can address the needs of long-tail science users of Big Data: an intuitive interactive interface with which to access powerful compute and storage resources.

	We describe how the Notebook has been used in combination with the package ipyparallel to provide a Python-based API to parallel compute capability. Use of Docker containers and the Swarm cluster management system is facilitating scaling of resources to meet demand. We look at how this and other developments are informing the future evolution of the system.
A NASA Climate Model Data Services (CDS) End-to-End System to Support Reanalysis Intercomparison	Scientists engaged in reanalyses—essentially re-forecasts of past weather using the latest forecast models— are interested in reproducing the success of the Coupled Model Intercomparison Project (CMIP5). They are studying reanalysis differences and uncertainties to improve reanalysis techniques. Reanalysis data also allows interdisciplinary scientists to compare their data sets (e.g., biodiversity, water planning, wind power) with 30 or more years of gridded climate data. These research efforts require large sets of monthly and hourly data, formatted identically to facilitate comparisons. NASA's Climate Model Data Services (CDS) is collaborating
Jerry Potter (NASA/GSFC, jpotter@ucdavis.edu)	with the world's five major reanalysis projects to collect this data and present it through Distribution, Visualization, Analytics, and Knowledge services, resulting in the Collaborative REAnalysis Technical Environment-Intercomparison Project (CREATE-IP).